

- inermis, Cleptor, 39·303; Leptops, 40·346*; Lycosura, 42·268; Macroura, 26·310*; Magdalitis, 33·179*; Onthophagus, 27·295
 infaustus, Cherrus, 28·93; Decilaus, Drassicus, 42·271
 infirmus, Heteronyx, 34·175*
 inflata,-us, Atlanta, 31·107; Campanotus, 40·37; Limacina, 31·107; Misophrice, 30·76*; Myrmotrema, 40·37; Mytilus, M2·18; Neomerimnetes, 34·16*; Palecticus, 37·250*
 inflectus, Placotrochus, 27·213*
 inflexa, Cavolina, Hyalaea, 31·107
 infracompressus, Trochocayathus, 27·209*
 infulatus, Cryptorrhynchus, 25·30
 infumata, Columbellula, Pyrene, 34·132
 infuscatus, Heteronyx, 34·172
 infuscipes, Bothriopria, 39·409*
 ingens, Helaeus, 41·579
 Inglewood district, apatite of, 33·116; biotite of, 33·115; epidote of, 33·116; felspars of, 33·111; hornblende of, 33·115; petrography of pre-cambrian of, 33·110; petrology of sedimentary rocks of, 33·136; pyroxene of, 33·114; quartz and sphene of, 33·116; titaniferous iron and uralite of, 33·115
 ingrata,-us, Collybia, 43·280*; Heteronyx, 33·58*
 Inheritance among the Mailu, 39·637
 Initiation among the Larrekiya, 31·10, 15; among the Mailu, 39·573; of boys among the Wogait, 31·11; of girls among the Larrekiya, 31·13
 Inlodimorpha bakewelli, pupa cases of, 34·254
 Inman Valley, 35·109; cambrian basal beds at, 30·252; pre-cambrian beds at, 30·253; quartzites and sandstones at, 28·207
 Innamincka, 41·410
 innotabilis, Triphora, 33·283
 innumera, Coesyra, Ocystola, 41·61
 ino, Scitala, 31·249*
 Inoceramus, sp. ind., M2·17
 Inocybe albidiipes, 42·107*; asteroспора, 42·105*; australiensis, 42·109*; flocculosa, 42·108*; gomphodes, 42·106*; obscura, 42·107*; subasterospora, 42·106
 inominatus, Poropterus, 42·271
 inornata,-um,-us, Apion, 34·28*; Camptorrhinus, 37·444*; 38·343; Ceratoteleia, 37·141*, 175*; Daphnella, Mangilia, 33·321
 inquilina, Chalmydopsis, 43·175; Tubaria, 42·120*
 inquinata,-us, Chiton, 36·141; Cymindis, 25·106; Ectroma, 25·106, 107; Ischnochiton, 36·141; Lepidopleurus, 36·141, 44·283
 inscripta, Eupoecila, 38·156; Lichenaula, 26·197
 insculpta, Mangilia, 33·315
 Insecta from Central Australia; by Arthur M. Lea, 38·448
 Insecta of Cooper Creek country, 41·489
 Insecta of the South Australian Museum expedition to the Strzelecki and Cooper Creeks; by Arthur M. Lea, 41·489
 Insect-catching grass; by Arthur M. Lea, 39·92
 Insects collected in the north-western region of South Australia by H. Base-dow, with descriptions of new species of mantidae and phasmidae; by J. G. O. Tepper, 29·237
 insignie, Bolboceras, 40·280*
 insignior, Laemophlaeus, 27·143*
 insignipennis, Polyphrades, 38·312*
 insignis, Axionicus, var. interioris, 37·201*; Eurydemus, 39·127; Liparetrus, 41·532*; Tomyris, 39·173*; Uracanthus, 40·370*
 insignita, Diethusa, 43·346*
 Insolation, effect on glass, M2·225; in Broken Hill area, M2·225
 insolitus, Liparetrus, 29·330*
 insularis, Anodontonyx, 43·217*; Cheirrhampicha, 43·203*; Cudnellia, 39·334*; Diphucephala, 40·297*; Hemipharis, 38·148; Hemipharis, var. speciosa, 42·262; Hoplotlelia, 37·134*; Leptops, 40·344*; Maechidius, 41·516*; Misophrice, 38·338*; Telenomoides, 37·169*; Tychreus, 37·430*; var. of Phyllotocus bimaculatus, 43·196*
 insulicola, Haplaner, 25·114*; Mecyna, 42·280*
 integra, Zuzara, 34·83
 integriceps, Onthophagus, 27·303
 integricolle, Apion, 34·27
 intercalatum, Dentalium, 28·135, 35·216
 intercoxalis, Articerus, 42·249*; Chrysomela, 40·399*; Geloptera, 39·245*; Mandalotus, 30·138*; Myllocerus, 38·278*; Oricopis, 41·314*; Poropterellus, 36·90*; Rodwayia, 43·174*
 interioris, Atherina, 33·264; Chalcoperterus, 37·12; Emenadia, 41·257; Glaucolepta, 39·797*; Helaeus, 41·579; Heteronyx, 33·69*; Rhyparida, 39·128; Sclerorrhinus, 28·112; var. of Axionicus insignis, 37·201*; var. of Leptops duponti, 40·330; Xylophilus, 41·204*
 intermedia,-us, Buccinulus, 31·310; Chalcopterus, 37·13; Hemirhamphus, 33·263; Heteronyx, 33·75*; Ischnochiton, 44·284; Leucopogon, 39·98*; Prostomis, 27·134*; Pupa, Solidula, 31·310
 intermissa, Gymnorhina tibicens, 38·433, 438
 intermixta,-us, Exithius, 37·397*; Timareta, 33·151*
 internata, Uropoda, 40·236*
 International Research Council, 43·427, 428, 432, 44·395
 interocularis, Copidita, 41·302*; Haplonycha, 41·502*; Mandalotus, 35·69*, 40·322
 interrupta,-us, Belus, 41·599*; Colum-

- bella, 34·137; Copidita, 41·305*; Foranax, 40·317*; Lobogethes, 27·23; Monolepta, 41·630*; Neomelanterius, 37·195*; Xylophilus, 41·185
intersecta, Macrotristria, 38·347
interstitialis, Camptorrhinus, 37·444*; Melobasis, 25·130*; Pyromerus, 27·131*
intonata, Eutorna, 30·42*
Intraformational breccias and conglomerates, 44·306
intricata,-um,-us, Argyroploce, 40·532*; Balaninus, 28·133*; Diphobia, 41·155*; Dolophones, 39·782*; Prasophyllum, 38·239*, 512; var. of Eupoecila australasiae, 38·154*; var. of Macrohelodes crassus, 43·249
Intrusive rocks of Aldgate, petrography of, 33·127; of Broken Hill area, M2·243; of Houghton district, petrography of, 33·118; of Mt. Compass, petrography of, 33·138; of Normanville Gorge and Yankalilla, petrography of, 33·129
intrusus, Heteronyx, 34·158*
inusitatus, Mandalotus, 31·163*; Platydesmus, 31·272*; Poropterus, 29·228*
invalida, Peltonyx, 26·312*; Scala, 30·148*
invasa, Turriga, 27·17
inversus, Parasitus, 40·229*
invidus, Euryporopterus, Paleticus, 37·304
involutus, Paxillus, 42·103*
io, Ceraphron, 38·107
iobaphes, Oenochroa, 44·62
iobrota, Porthesia, 26·177
iodes, Oecophora, 25·94*
Iodine and bromine content of a sample of water from Lake Gairdner; by W. Ternent Cooke, 41·39
Iodis illidgei, submissaria, 30·127
iodoformis, var. of Psalliota arvensis, 42·123*
iole, Ceraphron, 38·112*
Ionisation curve of methane; by Sir W. H. Bragg and W. T. Cooke, 31·111
Ionisation of gases by alpha particles of radium, 30·1, 116
Ionisation produced by the impact of solid bodies in air; by Kerr Grant and G. E. M. Jauncey, 36·1
Ionisation remaining in gases after removal from the influence of the ionising agent; by J. P. V. Madsen, 32·12
Ion-protein theory, 29·6
Ions, recombination of, in air and other gases, 29·187
iophaënnä, Eublemma, 44·164*
iosceles, Cincindela, 41·123
iosoma, Nemoria, 30·129
iozona, Coesyra, 41·68
Ipanica, 44·128*
Iphierga crypsilopha, 27·73*; melichrysa, 26·246*; polyzona, 27·239*; pycnozona, 26·246*
Ipsichora, 30·97; synopsis of Australian species of, 30·97
Ipsichora desiderabilis, 30·98*; duplicita, 30·99*; femorata, 30·97; macleayi, 30·98*; mesosternalis, 30·97*
Ipteronotus, 32·219*; bifurcatus, 32·219*; niveopictus, 32·220*
iredalei, Acanthiza, morgani, 39·753;
Ischnochiton, 44·284
iridea, Augomela, 40·411; Mordella, 41·234*
iridescent, Caladenia, 44·328*; Chalcopodus, 37·22*; Deretaphrus, 27·124*; Haplonycha, 31·268
iridipennis, Haplonycha, 41·508*; Liparitrus, 29·303
iridiventris, Chalcopterus, 37·12
iridocoma, Alytophanes, 32·63*
Iridomyrmex cyaneus, 39·812*; detectus, var. viridiaenius, 39·811; discors, var. aeneogaster, 39·811*; gracilis, var. spurcus, 39·813*; rufoniger, 39·812
iris, Haliotis, 36·187
irisodontes, Phasianotrochus, 38·364
Iron ore from Port Lincoln district, 31·75; from Wadella Springs, 31·77
Iron sulphide from Mootooroo West Mine, M2·318
Ironstone 'biscuits' at Cape Jervis, 28·305
Ironstone near Broken Hill, M2·318
Irpea brevis, cingulatum, consors, decurrens, 43·305; saepiaria, 43·306
irrassa,-us, Automolus, 30·285*; Decilaus, 29·232*; Mandalotus, 35·70*; Pseudoporopterus, 37·246*; Tomyris, 39·190*
irregularis, Adelium, 38·401*; Dictyocyathus, M2·145*; Liparetrus, 41·552*; Sclerorinus, 38·19; Spirocyclathus, M2·148*
irroratus, Brachysphyrus, 27·160*
irrorea, Argyroploce, 40·539*
isabella, Stiltia, 34·251, 38·422
isabellina,-us, Achopera, 37·282*; Calomanthus campestris, 39·751, 41·457
Isacantha congesta, 32·239; dermestiventris dermestiventris var. fumigata, fascicularis, 32·238; papulosa, 32·239; pectoralis, 32·238; rhinotiooides, 32·239
Isachne australis, 35·3
Isaphes, 27·136; bicolor, 27·137
Isax, 37·415; planipennis, 37·279
Ischiopsophabourkei, 38·144
Ischnochiton albinus, arbutum, 44·284; atkinsoni, 42·80, 44·275, 280, 284; atkinsoni lincolnensis, 44·275*, 280, 284; auratus, 44·277*; bakeri, 36·169*; bednalli, 36·166*; campbelli, 44·281; cariosus, 35·96, 36·144; contractus, 35·97, 36·145, 44·284; crispus, 35·96, 36·144, 44·273, 284; crispus, var. decoratus, 44·284; decussatus, 35·97, 36·146; falcatus, 42·81; fruticosus, 36·145; fulvus, 36·149, 44·281; greyi, 44·281; gryei, 36·149; haddoni, 35·96, 36·144, 44·273; inquinatus,

- 36·141; intermedius, iredalei, 44·284;
juloides, 35·96, 36·143; *levis*, 36·168*;
lineolatus, 44·273, 284; *longicymba*,
 36·145, 44·284; *maya*, var. *viridis*,
 44·264*; *milligani*, 42·81; *novae-*
hollandiae, 36·150; *pallens*, 36·143;
parkeri, 36·149; *pilsbryanus*, 36·143;
pilsbryi, 36·144; *properensis*, 44·278*;
proteus *milligani*, 44·284; *ptychius*,
 35·97, 36·147; *resplendens*, 35·97,
 36·149; *smaragdinus*, 36·148; *sulcatus*,
 36·146; *tateanus*, 36·147; *thomasi*,
 35·97, 36·149; *ustulatus*, 35·96, 36·144;
variegatus, 36·146; *verconis*, 35·102*;
virgatus, 35·97, 36·148; *wilsoni*,
 36·147, 42·80
ischnodes, *Corula*, 27·10*; *Eulechria*,
 26·150*
Ischnomera *sublineata*, var. *monticola*,
 41·314*
Ischnomyrmex *longiceps*, 40·217, 221
Ischnoradsia, *Australian*, 42·62; *australis*,
 42·62, 44·285; *australis evanida*,
 44·264; *evanidus*, *metallicus*, 42·62;
novae-hollandiae, 36·150, 42·62
ischnota, *Guestia*, 27·226*
Ischyja *cyanopasta*, 32·64*; *polystigma*,
 27·36*; *porphyrea*, 28·217*
Isidora *newcombi*, 29·161
Ismene *contempta*, 35·171; *discolor*,
 26·123, 35·168; *doleschalli*, 26·126,
 35·168; *hurama*, 26·124, 35·171;
lucescens, 26·122; *thymbron*, 26·120,
 35·168
ismene, *Telesto*, 26·73, 35·125
ismenooides, *Corone*, 26·115, 35·160
Isocardia *tatei*, M2·32*
Isocentris *erromena*, 32·99*
Isochorista *eudrosa*, 40·503*
Isocladus *excavata*, 34·84*
isodesma, *Leptomeris*, 27·217*; *Limnoe-*
cia, 28·174*
Isoëtes *drummondi*, 42·5
Isometroides *vescus*, 39·773
Isometrus *vescus*, 39·773
isoneura, *Cryptophaga*, 26·236*, 30·197
Isopeda *conspersula*, 39·785; *dolosa*,
 41·485; *gloriosa*, 41·485*; *leishmanni*,
 39·786
Isophyllia *australis*, 28·8, 33·246
Isoplatoides, 37·85*; *bifasciatus*, *bipustu-*
latus, 37·86
 Isopod crustacea found in the nests of
 ants in South Australia, 37·116
Isopoda, *Australian*, 41·391
isozona, *Philobota*, 25·93*
isura, *Lophoictinia*, 38·425
Isuopsis *glauea*, 32·291
italicum, *Echium*, 35·3
 Italowie Creek, cambrian glacial beds at,
 25·45
Ithyocampus *filum*, 32·298
ixoides, *Caladenia*, 44·358; *Thelymitra*,
 44·332
jacksoniensis, *Daphnella*, 33·311; *Etru-*
meus, 32·294; *Mangelia*, 33·311;
Patella, 30·212, 36·184, 198; *Patella*,
 var. *mixta*, 30·212; *Rhyssoplax*,
 44·290; *Tectura*, 30·212; var. of
Acmaea *flammea*, 36·184, 198
 Jacky's Pass, 29·60, 63
jaffaensis, *Cyclostrema*, *Daronia*, 33·270*;
Drillia, 33·298*; *Magasella*, 34·92*,
 98; *Pyrene*, 34·143*
 Jagged, Mt., 34·233, 238
 James Range, 38·49
 Jamestown, cambrian glacial beds at,
 25·11; petrography of pre-cambrian at,
 33·110; petrography of boulder from
 cambrian till, 33·130
 janetta, *Tagiades*, 26·45, 35·116, 118
jansoni, *Aegus*, 38·251; *Chrysomela*,
 40·399
janthinae, *Proctotrypes*, 39·387*
jantinipennis, *Hoplocephala*, 38·221
japonicum, *Gnaphalium*, 39·841
Jassopsaltria, 38·350*; *rufifacies*, 38·250*
 JAUNCEY, G. E. M., and GRANT, KERR.
 Ionization produced by the impact of
 solid bodies in air, 36·1
javanica, *Hirundo*, 36·239
jayi, *Acanthiza pusilla*, 38·438
jeanensis, *Drakaea*, 44·322*
 Jenolan caves, 34·291
Jervis, Cape, flora of, 32·273; ironstone
 'biscuits' from, 28·305
jesseni, *Helichrysum*, 40·75
 Jewish type of aborigines of north-western
 South Australia, 28·20
joannense, *Desmophyllum*, 26·3*
Jocara *thermoptera*, 27·59*, 30·196
Johannica *metallica*, 40·426*
johannis, *Heteronyx*, 36·46*
 John, Mt., 38·408
 JOHNCOCK, C. F. Further notes on the
 botany of Willochra Valley, 26·31
 Notes on the loranthaceae of Willochra
 Valley, 26·7
 Notes on *Loranthus exocarpi*, 27·253
 JOHNSON, E. A. Note on a new *Lingua-*
tula, 34·248
 JOHNSTON, T. HARVEY, and CLELAND, J.
 BURTON. Haematozoa of Australian
 birds, 34·100
johnstoni; *Delphinula*, 30·149; *Ptycho-*
paria, 43·392*
 JONES, F. WOOD. External characters of
 pouch embryos of marsupials: no. 1,
Trichosurus vulpecula, var. *typicus*,
 44·360
jonesi, *Essolithna*, 41·590*
 JOSHUA, E. C., and CREED, E. South Aus-
 tralian holothuroidea, with descriptions
 of new species, 39·16
joshuana *Leiostraca*, 34·117
jourdani, *Turbo*, 32·338, 35·213, 42·300
jubata, *Chenonetta*, 38·423; *Heter-*
onyx, 34·196; *Onthophagus*, 27·306
jucundus, *Chalcopterus*, 37·9
jugosus, *Chiton*, *Lophyrus*, 36·152

- jugularis, Colaspis, Geloptera, **39**.240
 jukesiana, Scala, Scalaria, **30**.144
 Julis purpurea, trilobata, umbrorstigma,
40.445
 juloides, Ischnochiton, **35**.96, **36**.143;
 Stenochiton, **35**.96, **36**.143, **42**.65, **76***
 juncifolia, Grevillea, **38**.462
 juncophila, Puccinia, **39**.353
 junctus, Microtragus, **41**.621
 Juncus holoschoenus, pallidus, **43**.28
 jungi, Cicindela, **25**.15*; Haplonycha,
30.322*
 Jurassic deposits in Central Australia,
38.42; on Finke and Hale rivers,
38.42
 justaria, Acropteris, Micronia, **27**.18
 juvenus, Agetinus, **39**.271*
 juvenis, Liparetrus, **29**.301, **41**.527;
 Scitala, **31**.256*
- Kahlua among the Wororra, **41**.33
 kali, Salsola, **38**.463
 kampla, Nassaria, **31**.102
 kampylum Cymatium, **31**.102
 Kangaroo Creek, cambrian lower lime-
 stone of, **30**.247; pre-cambrian deposits
 near, **39**.2; upper Torrens-limestone at,
39.9
 Kangaroo Gully, cambrian basal beds at,
30.255
 Kangaroo Head, erratics near, **27**.77
 Kangaroo Island, aborigines of, **27**.90.
 314; archaean and palaeozoic deposits
 of, **27**.80; asphaltum of, **27**.86; bibliog-
 raphy of botany of, **32**.253; bitumen
 of, **27**.86, 313, 315; cainozoic deposits
 of, **36**.15; enstatite basalt of, **34**.69;
 flora of, **32**.253; fossil resins of, **27**.86;
 gem-stones of, **27**.83, **33**.142; geology
 of, **27**.75; indicolite on, **34**.141; ob-
 sidianite from, **33**.349; orchids of,
33.11; origin of lagoons on, **25**.9;
 post-tertiary and recent deposits on,
27.83; pre-tertiary glacial remains at,
27.75; rubelite on, **33**.141; Tasmanian
 element in flora of, **32**.258; tourma-
 line from, **27**.313, **33**.141
 Kangaroo Island fauna and flora reserve,
32.418, **33**.343, 371, **34**.276, **40**.593,
 598: history of, **30**.362, **34**.284. *See*
 also Flinders Chase
- Kangaroo, destruction of, on Kangaroo
 Island, **35**.220; protection of, **32**.419,
35.249
 Kanmantoo, biotite schist from, **32**.134
 Kanowana Station, **41**.412
 Kaolin deposits near Tumby Bay, **31**.76
 Kaolinized felspathic rocks from Long-
 wood Gully, **27**.311
 Karabidion australe, **40**.145
 Karawa tribe, distribution of, **31**.3
 Karkurrerra tribe, **28**.12; vocabulary of,
28.47
 Karpeny, Mrs., her reminiscences, **35**.16
 Katherine River, rock-drawings at, **31**.56
- Kathetostoma, synopsis of species of,
39.471
 Kathetostoma laeve, **39**.469; nigro-
 fasciatum, **39**.469*
 katowense, Dentalium, **35**.205
 keartlandi, Lichenostomus, **38**.436, **39**.758
 Kellia atkinsoni, **32**.354; rostellata,
31.106
 Kellie Bay, bird-protection reserve at,
34.277
 Kelly Hills, **29**.63
 kembensis, Brachypeplus, **26**.306*
 kempeana, Acacia, **38**.465
 kempei, Calotis, **39**.839; Millotia, var.
 helmsi, **43**.43
 Kennedya nigricans, **35**.60; prostrata,
26.33
 kennedyi, Onosterrhus, **38**.378*
 Kent Town bore, cainozoic deposits in,
36.15
 Kentrocopros, **39**.492
 Kentrophylum glaucum, **42**.60
 kenyoniana, Voluta, **36**.228, 245
 Kerneria antarctica, **37**.1
 Kerosene shale from near Cape Banks,
43.54
 kershawi, Amarygmus, **37**.42*; Coesyra,
26.138; Copidita, **41**.297; Homotrysis,
44.204*; Pseudoclitria, **38**.193*
 kertlandi, Lichenostomus, **38**.436, **39**.758
 Killapaninna, **41**.414
 kimberi, Acanthochites, **36**.167*; Acan-
 thochiton, **44**.287; Adeorbis, **31**.308*;
 Angasia, **28**.149*: Turritella, **32**.342*;
34.120
 kingense,-is, Arsipoda, **31**.298, **42**.274;
 Ceryx, **31**.231*; Cythara, Daphnella,
33.327
 kingi, Ectrephe, **41**.146; Hemaris,
29.179; Mesectrephe, **41**.146
 kingiae, Essolithna, **28**.98*
 kingicola, Crassatellites, **29**.169, **31**.311
 King's Bluff, gneissic aplite from Granite
 Range west of, **28**.188; gneissic granite
 at, **28**.181: lower cambrian quartzites
 at, **M2**.240; monazite at, **30**.192,
M2.296; petrography of pre-cambrian
 at, **33**.110; quartzites and sandstones
 of, **28**.204
 King's Head, permo-carboniferous mor-
 aines of, **34**.1
 King's Park, **34**.292
 Kingscote, basalt from near, **34**.69; flora
 of, **32**.253
 Kingston, Mt., ordovician beds at, **29**.84
 Kinship among Mailu, **39**.521; Wororra,
41.21, 29
 Kintore, Mt., **29**.65
 Kionotrochus, **30**.154*; suteri, **30**.155*
 kippistiana, Hakea, **40**.59
 kirbyana, Diphylocera, **31**.281
 kirbvi, Rhinotria, **32**.237
 Kitchen-midden at Monteith, **35**.14;
 at Swanport, **35**.6
 kitsoni, Trematotrochus, **25**.50*

- KLEEMAN, R. D., and BRAGG, Sir W. H. On the alpha particles of radium, and their loss of range in passing through various atoms and molecules, **29**.132
On the recombination of ions in air and other gases, **29**.187
klemi, var. of *Rhyssoplax torrianus*, **43**.72*
- KNAB, F.D.K., and MALLOCH, J. R. New Australian diptera from ants' nests, **36**.233
Knowledge, state of, among Mailu, **39**.701
Kobonga castanea, **38**.351*, **39**.91; frog-gatti, **39**.91
kochi, *Telesto*, **26**.75, **35**.129
Kochia cannoni, **43**.29*; *ciliata*, **41**.43; *coronata*, **41**.43*; *decaptera*, **40**.60; *eriantha*, **39**.828; *lobiflora*, **41**.42; *planifolia*, **41**.636, **43**.30; *sedifolia*, **39**.827; *villosa*, **39**.828
Koebelea fusca, **37**.99*
koebelei, *Anepius*, **26**.30*; *Cholevomorpha*, **27**.95*; *Lepidiota*, **36**.54*; *Mimemodes*, **26**.311*; *Onthophagus*, **27**.291*
Koeleria phleoides, **37**.123
Koilotrochus vacuus, **26**.259
Komorkir tribe, distribution of, **31**.2
Kooringa, Brighton-limestone breccia near, **44**.315
Kopionella, **43**.71*, **44**.286; *matthewsi*, **44**.286; *tasmanica*, **44**.268*, 286
Kopperamanna, **41**.414
Korrawa tribe, distribution of, **31**.3
korschun, *Milvus affinis*, **38**.425, **41**.449
Kraatz's revision of the cetonides, criticism of, **38**.132
kraatzi, *Hemiopsida*, *Lycaon*, **40**.307
Kraussina atkinsoni, **34**.99; *lamarckiana*, **34**.98
krefftii, *Pamphila*, **26**.105, **35**.155, 156
kreuslerae, *Earinus*, **40**.392; *Liparetrus*, **29**.300, **41**.530
kreusleri, *Anapestus*, **41**.146
Krichauff Range, **38**.45, 412
Krupp Hill, **29**.81; ordovician beds at, **29**.83
Kujera tribe, distribution of, **31**.2
Kukata tribe, vocabulary of language of, **44**.76
Kulpara, purple slates at, **28**.260, 269
Kumbarie, **41**.409
kurandae, *Amarygmus*, **37**.45*
Kurére, **39**.506
Kuring-gai Chase, **34**.291
Kurrekapinnya Soakage, rock-drawings at, **28**.39, 43
Kyphosus fuscus, **40**.442; *sydneanus*, **33**.267
- Labanda, **44**.182*; *amabilis*, **27**.47*
labiata, *Crossea*, **30**.149; *Triphora*, **33**.290
labiosus, *Histiopterus*, **33**.269
Labrocoglossa nitida, **40**.439*
labralis, *Heteronyx*, **32**.382*
- labyrinthica*, -us, *Cossus*, **28**.247; *Trictena*, **28**.247, **40**.591
labyrinthica, var. of *Caledoniella contusiformis*, **29**.185*
Laccocephalum basilapiloides, **43**.18*
Lacertilia from Central Australia; by F. R. Zietz, **38**.440
Lacertilia from the north-western regions of South Australia; by F. R. Zietz, **39**.766
Lacertilia of the South Australian Museum expedition to Strzelecki and Cooper Creeks; by F. R. Zietz, **41**.469
lacertosa, *Moruloidae*, **32**.150
lachlanensis, *Cardiothorax*, **38**.399
lachryma, *Erato*, **42**.150
Lacida postica, **27**.16
laciniatus, *Liparetrus*, **41**.537*
lacordairei, *Ennometes*, **38**.253; *Rhadinosomus*, **28**.81
Lacordairia, **25**.115; *angustata*, **25**.116
Lactarius serifluus, **43**.274*; *stenorhynchus*, **43**.273*; *subtomentosus*, **43**.274*
lacteola, *Drillia*, **33**.304*; var. *crebrespirata*, **33**.305*; var. *sinusegens*, **33**.305*
lactinea, *Trametes*, **43**.303
Lactuca scariola, **42**.60
lacunaria, -um, *Eragrostis*, **39**.825; *Solanum*, **26**.34
lacunosa, -us, *Pteroporopterus*, **36**.101*; *Tapinoschema*, **38**.188
lacustris, *Belus*, **41**.609*
ladon, *Papilio*, **26**.120, **35**.168
Lady Alice Mine, **33**.108
Lady Don, chiastolites of, **M2**.210
Laelia eremaea, *obsoleta*, **27**.16; *ostacea*, **26**.181*
Laemophlaeus, **27**.138; synopsis of Australian species of, **27**.138
Laemophlaeus articeps, **27**.144; *australiasiae*, **27**.146; *blackburni*, **42**.254; *diemenensis*, **27**.140*; *frenchi*, **27**.146*, **42**.254; *insignior*, **27**.143*; *lindi*, **27**.141; *macleayi*, **27**.145; *murrayensis*, **27**.141*; *pusillus*, **27**.144; *pusulae*, **27**.142*; *tasmanicus*, **27**.144; *victoriae*, **27**.182*
Laemosaccus, **28**.134
laeta, -us, *Notophilus*, **25**.114; *Saprinus*, **27**.107; *Stethaspis*, **35**.179; *Titinia*, **29**.219, **30**.323. var. of *Edusa perplexa*, **39**.203
laetor, *Melithreptus gularis*, **38**.435
laetifica, *Sphyrelata*, **41**.116*
laevatus, *Liparetrus*, **29**.316
laeve, *Kathetostoma*, **39**.469
laeviceps, *Emenadia*, **41**.260*
laevicollis, *Cleptor*, **39**.312*
laevigatum, *Leptospermum*, var. *minus*, **41**.385
laevis, *Cassinia*, **42**.56; *Diuris*, **44**.335; *Exosphaeroma*, **34**.84*; *Halimus*, **29**.119; *Liparetrus*, **29**.317; *Nephurus*, **38**.441; *Zuzara*, **34**.84*

- laeviventris, Ashmeadopria, **39·440***; Odontacolus, **39·451***
- Lagenoplastes ariel, **38·428**, **41·455**
- Lagoons of Kangaroo Island, origin of, **25·9**
- Lagoons of southern Yorke Peninsula, fauna of, **25·9**; origin of, **25·1**
- lagotis, Thalacomys, **41·433**
- Lagria affinis, **41·174**; albovillosa, cyanea, **41·175**; decipiens, **41·176***; erythropo-
tera, **41·177***; grandis, **41·174**; pul-
chrivaria, **41·175***; rufescens, ruficollis,
41·174; tenuicollis, **41·177***
- Lagynodes flavus, **38·94***
- Laius, synopsis of species of, **41·141**
- Laius acervatus, **41·133***; ammophilus,
41·132*; apicicollis, **41·129***; aula-
cophoroides, **41·138***; cinctus, **41·141**; concavifrons, **41·135***; egenus, **41·140**; eyrensis, **41·139**; filamentarius, **41·136***; flavifrons, **41·137***; flavonotatus,
41·131*; melanoderes, **41·130***; miracu-
lus, **41·128***; mirocerus, **41·130***; nodi-
cornis, **41·139**; oblongosignatus, **41·140**; pretiosus, **41·139**; purpureipennis,
40·321*; quinquenotatus, **41·140**; sordidus, **41·132***; stenotarsus, **41·134***; tarsalis, trisignatus, **41·140**; variegatus,
41·139
- Lake. See under name of lake; see also Lagoon
- Lake, ancient, in Pekina Creek, **33·253**
- Lake's Nob, **M2·253**
- Lalage tricolor, **38·430**, **39·751**, **41·456**; stomach contents of, **38·439**, **41·467**
- lalemantiana, Clathurella, Pleurotoma,
33·309
- Lamareckia aurea, **40·57**
- lamareckiana, Kraussina, Megerlina, Tere-
bratula, **34·98**
- lamberti, Leggeornis, assimilis, **41·459**; Leggeornis, morgani, **38·432**
- Lambinna, **39·709**
- Lamellaria australis, **29·181***
- lamellatus, Melantorius, **37·308***
- Lamellicernes pleurosticti, **29·275**; tabu-
lation of tribes of, **29·276**
- lamellosa, Clathurella, Daphnella, **33·325**; Turritella, **34·118**
- laminata,-us, Derbyilla, **37·442**; Odo-
syllis, **37·412***; Onthophagus, **27·273**; Pseudometyrus, **37·425**
- laminipectus, Mandalotus, **40·325***
- Lamitema, **34·55***; decipiens, **34·55***
- lampas, Agaricus, **43·286**; Pleurotus,
43·286
- Lampeyresia ferraria, **40·535***
- Lampoua punctigera, **39·780**
- lamprieri, Raja, **32·292**
- Lamprolepis, chrysochroa, **26·189**
- Lamprolina discoidalis, **40·417**; fovei-
latera, **40·418***; grandis, simillima,
40·417; simplicipennis, **40·418***
- Lampusia nodocostata, **31·102**; verrucosa,
36·218
- Lamyrodes argillacea, **40·505***
- lanata, Triodia, **40·57***
- lanaticollis, Liparetrus, **29·309**
- lanceolata,-um, Angasia, **28·146**; Praso-
phyllum, **44·323***; Rilia, **27·17**; San-
talum, **26·33**
- lancifer, Pegasus, **33·263**
- Land tenure among the Mailu, **39·592**
- landsboroughi, Melampsalta, **38·353**
- languida,-us, Anodontonyx, **25·21**, **31·265**; Copidita, **41·298**; Mechistocerus,
37·322; Nothrodes, **25·28**; Perperus,
25·28, **35·76**; Scitala, **25·21**, **31·244**,
299
- lanofer, Tycheirus, **37·291***
- lanigerum, Polygonum, **35·61**
- landsdowneana, Eucalyptus, **32·283**,
40·477, **41·339**
- languinosa, var. of Brachycome ciliaris,
38·470
- lapeyrousei, Microvalgus, **38·201**
- Laphygma exigua, **38·456**
- laqueatus, Craspedochiton, **44·286**
- laraca, Caltoris, Parnara, **35·162**
- Larapinta, **38·410**
- largiflorens, Eucalyptus, **26·14**, **40·480**,
41·340
- largensis, Heterocerus, **27·178***
- largus, Cortinarius, Phlegmacium,
42·96*
- Larrekiya, capture of dugong by, **31·5**; customs relating to the menses among,
31·5; dialect of, **31·3**; distribution of tribe,
31·1; initiation ceremonies of,
31·10, **13**, **15**; legend about conception among,
31·4; legend about dugong,
31·5; marriage relationship of,
31·4; smoking ceremony among,
31·13; treatment of navel cord at birth by,
31·5; treatment of sickness by,
31·5
- Larrekiya, Wogait, Sherait, and Berrin-
gin tribes, comparative vocabularies of,
31·60
- Laruóro, **39·506**
- Lasaea scalaris, **37·448**
- lascivia, Apaustus, **26·100**, **35·153**; Pad-
raona, **35·153**; Pamphila, **26·100**,
35·153
- Lasiocampidae, synopsis of genera of,
28·239
- lasciocephala, Trachypepla, **40·540***
- lasiocosma, Cryptophaga, **32·117***
- Lasiolopha, **44·188***
- lasiomicra, Narycia, Xysmatodoma, **27·234***
- lasiophora, Strepsiceris, **32·323***
- Laspeyresia amphitorna, **40·534***; dyser-
asta, **40·535***; hilaris, **40·536***; poly-
metalla, **40·535***
- latebricola, Haplonycha, **30·306***
- latens, Macroura, **26·309**; Mandalotus,
38·305*, **40·322**; Nitidula, **26·309**
- Sciartophes, **27·100***
- lateralis, Ananca, **41·309**; Decilaus,
37·387*; Diaphonia, **38·179**; Diphuce-
phala, **30·267**; Euops, **33·177***; Oxacis,
41·309; Petrogale, **39·737**; Syzeton,
41·185; Todima, **27·118***

- latericollis, *Ditropidus*, **44**.228*; *Geloptera*, **39**.257*; *Maechidinus*, **43**.231*
 lateridens, *Geloptera*, **39**.260*
 lateripennis, *Maechidius*, **41**.517*; *Psepholax*, **37**.437*
 lateroalbus, *Uracanthus*, **40**.378*
 lateroapicalis, *Ditropidus*, **44**.237*
 laterofuscus, *Phyllotocus*, **43**.198*; *Xylophilus*, **41**.205*
Lates colonorum, **26**.265
Lathamus discolor, **41**.662
Latheticus oryzae, **43**.257
lathridia, *Epicyrtica*, **32**.61*
Lathrobium australicum, **26**.20; *basi-*
pennae, **41**.495*; *semifumatum*, **41**.494*
Lathropus brightensis, **27**.147*
Latiarca, **M2**.27
latibasis, *Myllocerus*, **38**.275*; *Prypnocolaspis*, **39**.321*
laticeps, *Acanthetedon*, **41**.363*; *Melophorus*, **39**.813*; *Xenomerus*, **40**.28*
laticincta, *Machetis*, **41**.115*
laticollis, *Byallius*, **38**.385*; *Calomela*,
40.402*; *Chalcopterus*, **37**.11; *Clerada*,
38.57; *Heteronyx*, **34**.228; *Leptops*,
40.337; *Myllocerus*, **29**.210*; *Pseudoheteronyx*, **32**.366*; *Rhopaea*, **35**.192*;
Scaptia, **41**.163
laticornis, *Melanterius*, **37**.310*
latifolia, -us, *Caladenia*, **33**.15, **44**.355;
Eremophila, **39**.836; *Ptilotus*, **38**.464
latifrons, *Chalcopterus*, **37**.23; *Tychreus*,
37.294*
latijugum, *Sium*, **36**.23
latilirata, *Triphora*, **33**.283*
latior, *Trophon*, **33**.274*
latipes, *Chlamydopsis*, **43**.176*
Latirus aurantiacus, **38**.484
latistrigata, *Helcioniscus*, *Patella*, **30**.210
latipennis, *Diphucephala*, **30**.267; *Evas*,
28.78*; *Imaliodes*, **37**.274*; *Leptops*,
40.349*; *Platyeleia*, **37**.154*; *Porop-*
terus, **37**.348*, 354
latipes, *Paratymolus*, var. *quadridentata*,
30.107*
latiusculus, *Liparetrus*, **29**.306
lativentris, *Euhoplopria*, **39**.416*
latrobei, *Eremophila*, **39**.837
latrunculus, *Camponotus*, *Myrmoturba*,
39.814*
latus, *Acherres*, **39**.83*; *Atypichthys*,
40.442*: *Austroscelio*, **40**.28*; *Hap-*
lonyx, **34**.45*; *Maechidius*, **41**.519;
Mandalotus, **36**.79*; *Polyphrades*,
32.208*, **40**.352
Laura Bay, flora of, **32**.263
LAURIE, DUNCAN FORBES. Native legend
 on the origin of Orion's belt, **41**.660
lauta, -us, *Calomela*, **40**.402; *Litocerus*,
26.290*
 Lava field at Mt. Schank, **25**.59
Lavatera plebeia, var. *tomentosa*, **41**.383
lawsoni, *Polydesma*, **38**.457
 Laytha tribe, distribution of, **31**.3
- LEA, ARTHUR M. Coleoptera from the
 north-western regions of South Aus-
 tralia, **39**.793
 Descriptions of Australian curculionidae,
 with notes on previously described
 species, **28**.77, **29**.209, **30**.71, **31**.129,
32.203, **33**.145, **34**.13, **35**.62, **36**.76,
37.301
 Insecta from Central Australia, **38**.448
 Insecta of the South Australian Museum
 expedition to the Strzelecki and
 Cooper Creeks, **41**.489
 Insect-catching grass, **39**.92
 Late Rev. Canon Thomas Blackburn
 and his entomological work, **36**.v.
 Notes on Australian cetonides, with a
 list of species and descriptions of some
 new ones, **38**.132
 Notes on Australian eumolpides (coleop-
 tera chrysomelidae), with descriptions
 of new species, **39**.102
 Notes on cryptorhynchides (coleop-
 tera curculionidae) in the South Aus-
 tralian Museum, with descriptions of
 new species, **37**.182
 Notes on small flies of genus *Simulium*,
41.663
 Notes on some miscellaneous coleoptera,
 with descriptions of new species,
38.249, **40**.272, **41**.121, **42**.240, **43**.166
 Notes on the Lord Howe Island phasma,
 and on an associated longicorn beetle,
40.145
 On *Ditropidus* and allied genera (coleop-
 tera chrysomelidae), **44**.218
 Stomach contents of birds from Central
 Australia, **38**.439
 Stomach contents of birds from the
 north-western regions of South Aus-
 tralia, **39**.760
 Stomach contents of birds of the South
 Australian Museum expedition to
 Strzelecki and Cooper Creeks, **41**.466
leachi, *Telesto*, **26**.72, **35**.125
leadbeateri, *Lophochroa*, **38**.427
leae, *Camponotus*, *Myrmosiphincta*, **39**.819*
leai, *Aclista*, **39**.394*; *Archamia*, **40**.455*;
Asemantus, **42**.261; *Baeus*, **38**.73*;
Bothriopria, **39**.407*; *Ceraphron*,
38.118*; *Ceratobaeus*, **38**.61*; *Chal-*
copterus, **38**.235; *Conostigmus*, **38**.92*;
Heteronyx, **33**.33*; *Lepidiota*, **36**.57*;
Liparetrus, **29**.329*; *Mesomorphus*,
38.221*; *Natalis*, **27**.308, **30**.322;
Neotelonomus, **37**.172*; *Semanopterus*,
42.261; *Stigmodera*, **40**.136*; *Stoma-*
toceras, **37**.73*; *Trachyuropoda*, **40**.231*
Leaiopria, **39**.426*; *termittari*, **39**.427*
leander, *Paramesius*, **39**.403*
leanus, *Cis*, **31**.285*
Leanythus mirus, **43**.167*
Leaptinus dolichognathus, **41**.146
Lebia benefica, *duponti*, **25**.106
Lecanomerus obscurus, *victoriensis*, **25**.115
leideosus, *Proxyrus*, **28**.86

- Leda chuva, crassa, dohrni, **31**.217; elongata, **M2**.26; ensicula, **31**.218; hanleyi, miliacea, **31**.217; oborella, **31**.218; pala, verconis, **31**.217
 Leech, new South Australian species, **40**.42
 Leeches in horses, **43**.132
Leeuwenhoekia sonderi, **36**.24
leeuwini, *Eumeta*, *Paracharactis*, **31**.205
 Leg of Mutton Lake, **25**.55
 Legend about dugong among Larrekiya, **31**.5
Leggeornis lamberti, assimilis, **41**.459; stomach contents of, **41**.466
Leggeornis lamberti morgani, **38**.432
legitimus, *Melanterius*, **33**.183*, **37**.316
legrandi, *Clathurella*, **33**.323; *Columbella*, **34**.136; *Daphnella*, *Drillia*, **33**.323; *Fossarina*, *Gibbula*, **32**.341; Pyrene, **34**.136
lehmanni, *Gibbula*, *Trochus*, *Turbo*, **29**.171
 Le Hunte Bay, flora of, **30**.262
leibnitzi, *Achrysocharis*, **37**.110*
 Leichhardt tree, fruit seed and leaves of, **28**.301
leichhardti, *Amycteris*, **35**.76
leichhardtiana, *Marsdenia*, **38**.467
leilavalensis, *Ptilotula penicillata*, **38**.436, **39**.758, **41**.464
leiochroa, *Eochrois*, **31**.114*; *Tortricomorpha*, **27**.69*
Leiopyrga octona, **28**.140
leiostachya-um, *Arthrocnemum*, **43**.360*; *Salicornia*, **43**.360
Leiostraca joshuana, **34**.117
Leipoa ocellata, **39**.740; *ocellata rosinae*, **38**.420
leishmanni, *Isopeda*, **39**.786
Lelapsomorpha, **37**.87*; *myersi*, **37**.88*
Lemidia auricoma, **43**.344*; *auricoma*, var. *flaviventris*, **43**.345*; *basiflava*, **43**.343*; *basiflava*, var. *fasciata*, **43**.344*; *flavicollis*, **43**.346*; *variabilis*, **43**.345*; *variicollis*, **41**.577
Lemodes caeruleiventris, **38**.259; *corticalis*, **41**.178; *tumidipennis*, **38**.259
lendigerum, *Gastridium*, **43**.25
Lenosoma, **38**.143; *fasciculatum*, **38**.197; *fulgens*, var. *viridicupreum*, **38**.196
lenticularis, *Acerana*, *Anoplocapros*, **39**.479; *Aracana*, **39**.480; *Ostracion*, **39**.479
Lentinus dealbatus, **43**.290; *fasciatus*, *strigosus*, **43**.290*; *radicatus*, **43**.291*; *tuber-regium*, **43**.289*; *ursinus*, **43**.291*
lentus, *Symplyletes*, **25**.38*
Lenzites abietina, **43**.292*; *beckleri*, **43**.293; *bicolor*, **43**.294; *muelleri*, *repanda*, *saeparia*, *striata*, **43**.293; *ungulaformis*, **43**.292
leonina, *Heracula*, **27**.17*
Leotia marcida, **43**.311*
leparga, *Citharoidica*, **41**.108*
Leperina moniliata, **26**.311
lepida, *Mordella*, **41**.214; *Stigmadera*, **40**.129*
Lepidiota, synopsis of species of, **36**.63
Lepidiota bovilli, **36**.54*; *caudata*, **36**.60*; *darwini*, **40**.292; *deceptrix*, **36**.59*; *delicatula*, **40**.293; *frenchi*, **36**.58*; *froggatti*, **43**.187; *froggatti*, var. *stradbrokensis*, **43**.187*; *gilesi*, **36**.62*; *koebelei*, **36**.54*; *leai*, **36**.57*; *negratoria*, **36**.63*; *perkinsi*, **36**.56*, **40**.293; *picticollis*, **40**.291*; *rubrior*, **36**.55*; *squamulata*, **40**.293; *suavior*, **36**.56*; **40**.293; *townsvillensis*, **36**.61*
Lepidium fasciculatum, **40**.62, **42**.173; *rotundum*, **44**.193
Lepidocaspis, **39**.331*; *acanthomera*, **39**.332*
Lepidoderma, **36**.52; synopsis of species of, **36**.53
lepidophloia, *Casuarina*, **43**.28
lepidopholia, *Casuarina*, **42**.169
Lepidopleurus antiquus, **36**.150; *badius*, **42**.80, 295, **44**.283; *catenatus*, **44**.283; *columnarius*, **42**.80, **44**.283; *empleurus*, **36**.142; *inquinatus*, **36**.141, **44**.283; *liratus*, **36**.141, **42**.80, **44**.283; *matthewsianus*, **36**.142, **44**.283; *melanterus*, **36**.149; *niger*, **35**.105*; *norfolkensis*, **44**.283; *pelagicus*, **36**.165*, **42**.80, **44**.283; *platessa*, **36**.142; *smaragdinus*, **36**.148; *speciosus*, **35**.97, **36**.146; *ustulatus*, **36**.144; *variegatus*, **36**.146
Lepidoptera, Australian, **25**.63, **26**.175, 212, **27**.1, 183, **28**.212, **29**.103, 173, **30**.118, **31**.114, 169, **32**.55, 110, **41**.57, **44**.58
Lepidoptera, Australian, a note by A. Jefferis Turner on the localities attributed by Oswald Lower to, **30**.194
Lepidoptera from Central Australia; by G. A. Waterhouse, **38**.455
Lepidoptera from the north-western regions of South Australia; by A. Jefferis Turner, **39**.801
Lepidoptera, new Australian, of the family tortricidae, **40**.498
Lepidoptera, new Australian micro-, **40**.537
Lepidoptera of Broken Hill, New South Wales; by Oswald B. Lower, **39**.357, **40**.241, **41**.369, **42**.226
lepidoptera, *Paralepidiota*, **36**.51*
lepidopygus, *Liparetrus*, **41**.533*
Lepidoscia barysema, **27**.237*; *eurystola*, **27**.234*; *melanogramma*, **27**.71*, **30**.197; *placoxantha*, *polychrysa*, *trileuca*, **27**.235*
Lepidotarsa alphitella, **41**.105; *argyropis*, **26**.145*; *idiocosma*, *leucella*, **41**.105; *pentascia*, **41**.106*
lepidurus, *Stenocorynus*, **40**.358
lepidus, *Ocnodus*, **31**.278
leptadelpha, *Caesyla*, **44**.64*
Leptarthra, **26**.253*; *aulacodes*, **26**.253*; *hemicosma*, **32**.321*; *metallocosma*, **32**.321
Leptobelistis, **26**.198*; *asemanta*, **26**.198*

- leptocarpa, *Eragrostis*, **40·459**
 Leptoceras fimbriata, **33·14**
 Leptochiton versicolor, **36·142**
 Leptochloa subdigitata, **38·460**, **44·374**
 leptochlora, *Alypetia*, **40·529***
 Leptocyathus convexus, **28·59***
 Leptogastrus, synopsis of species of,
38·388
 Leptogenys conigera, var. centralis,
39·805*
 leptographa, *Eutorna*, **30·41***
 Leptoichthys castlenau, **32·299**
 Leptolophus auricomis, **38·427**, **41·451**;
 auricomis auricomis, **39·745**
 leptomera, *Eulechria*, **26·241**
 Leptomeris isodesma, **27·217***; tetra-
 sticha, **26·250***
 leptomorpha, *Voliba*, **32·86***
 Leptopenus discus, **30·162**, **33·248**
 leptoplasta, *Orthocraspis*, **44·186***
 Leptops, **40·330**; acerbus, **40·335**; acuti-
 spinis, **40·333**; amplipennis, **40·338**;
 areolatus, **40·331**; biordinatus, **40·335**;
 brachystylus, **28·103***; browni, **40·342***;
 cacozelus, **40·337**; canaliculatus,
28·102*; clavus, **40·332**; colossus,
37·454, **40·334**; contrarius, **40·334**;
 crassicornis, **40·332**; crassirostris,
40·337; duboulayi, **40·338**; duponti,
 var. carinatus, var. interioris, var.
 obsoletus, **40·330**; ebeninus, **40·332**;
 echidna, **28·106**, **40·335**; elegans,
28·105*, **40·332**; elongatus, **40·336**;
 fasciatus, **33·159***; fasciculatus, var.
 pulchripennis, **40·333***; ferox, **40·350***;
 ferus, frenchi, **40·331**; frontalis, **40·336**;
 globicollis, **40·334**; granulatus, **28·99***;
 gravis, hercules, **40·336**; horni,
40·338; horridus, **28·104***, **40·337**;
 humeralis, **38·294**; hypocritus, **40·333**;
 inermis, **40·346***; insularis, **40·344***;
 laticollis, **40·337**; latipennis, **40·349***;
 longipes, **40·348***; maleficus, **28·100***;
 muricatus, **40·338**; nitidicollis, **40·343***;
 nitidiventris, **40·339***; nodicollis,
28·100*; palmensis, **40·338**; parvi-
 cornis, **40·337**; pilulifer, **40·341***;
 polvacinthus, **40·333**; recurvus,
38·294*; retusus, **40·332**; rhizophagus,
38·295*; robustus, **38·294**; rostralis,
40·332; rufus, **40·331**; sculptus,
40·339; setosus, **28·101***; spinosus,
 squalidus, **28·106**; subfasciatus, **33·296**;
 saturalis, **40·347***; tribulus, **40·330**;
 tuberculatus, **28·106**; vacillans, **40·334**;
 variegatus, **40·345***
 leptosoides, *Medicasta*, **28·110***
 leptorrhoda, *Musotima*, **32·85***
 Leptosaces, **26·156**; ptyinaea, **26·157***;
 schistopa, **26·156***
 leptosemela, *Agriophara*, **44·68**
 Leptospermum laevigatum, var. minus,
41·385
 leptospila, *Capua*, **25·74***
 leptosticha, *Epichorista*, **40·516***
 Leptoteleia australica, **37·145***
 Leptoptyra carinata, **32·197***
 lerati, *Sarcoxylon*, **43·314**
 lessoni, *Amphistegina*, **39·350**
 Lestignathus minor, **25·115**
 Lestophonus iceryae, **40·594**
 Lethocephala bombycoides, **28·242**; calli-
 desma, **26·219**; eremospila, **26·219***,
28·243
 letourneuxiana, *Clathurella*, **33·309**; var.
 cuspis, **33·309**; pleurotoma, **33·309**
 leuca, var. of *Mitromorpha paula*,
33·331*; var. of *Trifora angasi*, **33·282***
 Leucania, **44·135***; acontosema, **27·4***
 leucanthes, *Agriophara*, **26·200**
 leucargyra, *Nepticula*, **30·57***
 leucaspis, *Eupselia*, **30·38***
 leucastra, *Dicasteris*, **30·55***
 leucatma, *Heliothis*, **27·3**
 leucella, *Lepidotarsa*, **41·105**
 leucobathra, *Trachydora*, **28·177***
 leucocephala,-us, *Dirades*, *Erosia*, **27·22**;
 Himantopus, **41·446**
 leucocera, *Dirades*, **27·21**
 Leucocirca tricolor, **38·429**
 leucocosma, *Archernis*, **32·95***; *Philobota*,
41·85*
 Leucocosmia, **44·153***
 Leucocraspedum, synopsis of species of,
26·19
 Leucocraspedum elegantulum, **26·18***;
 lugens, **26·18***, **288**; scorpio, **26·17**;
 validum, **26·17***
 leucocrossa, *Prorocopis*, **27·46***
 Leucocytozoon in Australian birds, **39·25**
 leucodela, *Trachydora*, **44·69***
 leucodesma, *Selidosema*, **28·231***; *Ster-
 icta*, **27·219**
 leucogaster, *Lophophaps plumifera*,
38·420, **39·741**
 Leucogonia, **44·156***
 leucogramma, *Pleuroto*, **41·76***
 leucomelas, *Ptinus*, **41·147***
 leucomulta, *Phycita*, **27·53***, **30·196**
 leucomphalus, *Clanculus*, **29·168***, **38·207**
 leuconeura, *Pleurota*, **41·77***
 leuconota,-us, *Acanthochiton*, **44·287**;
 Callyna, **27·35***; *Gymnorhina hypo-
 leuca*, **38·433**
 leucopelta, *Comoscotopa*, **26·240***
 leucophaea,-us, *Climacteris*, **37·456**;
 Melanterius, **37·310***
 leucophasa, *Elachista*, **32·118***
 leucopis, *Eulechria*, **26·241***
 leucoplaea, *Peltophora*, **41·82**
 leucopleura, *Glyphidodon*, **40·444**
 Leucopogon clelandi, **39·98***; costatus,
42·52; hirtellus, var. *glabrifolius*,
36·24*; intermedius, **39·98***
 Leucopogon, two new species of, **39·98**
 leucoprepes, *Osonoba*, **28·235***
 leucopsis, *Aphelocephala*, **38·434**, **438**,
41·462
 Leucoptera, **30·61**; deltidias, **30·61***;
 hakea, **40·59**, **41·635**; hemizona, **30·61***
 leucoptera, *Hydrochelidon grisea*, **41·662**

- leucopygialis, Artamus leucorhynchus, **41·460**
 Leucocircus tricolor, **39·750**; stomach contents of, **39·761**
 leucorhynchus, Artamus, leucopygialis, **41·460**
 leucospila, Baris, **30·85**; Mucialla, **31·172***
 leucospilota, Euchloris, **28·221***
 Leucospiza novae-hollandiae, **38·424**
 leucosta, Cirphis, **30·119**
 leucosternum, Cheramoeca, stonei, **38·428**, **39·748**, **41·454**
 leucosticta, us, Birthama, **20·241***; Caradrina, **32·58***; Mordella, **41·224**; Xylophilus, **41·189***
 leucostictalis, Eldana, **27·50***
 leucostigma, Hesperilla, **35·125**; Hesperilla, var. parasema, **32·312***, **35·125**; Telesto, **26·73***, **35·125**
 leucostoma, Ranella, **36·220**
 Leucothyreocis, **37·229***; convexus, **37·230***
 leucothyreus, Mimadoretus, **43·245***
 leucotoxa, Blastobasis, **26·171***
 leucotypa, Pionea, **27·218***
 leucoxylon, Eucalyptus, **27·246**, **32·281**, **40·488**, **41·341**, **42·181**; Eucalyptus, var. pluriflora, **27·244**
 leucura, Otiophora, **32·101**; Pionea, **27·67***, **32·101**
 levii, Ischnochiton, **36·168***
 lewiniae, Clisiocampa, Ocinara, **26·184**
 lewini, Clania, **31·198**
 Lewinornis rufiventris maudeae, **39·749***; stomach contents of, **39·761**
 Lewis Point, **M2·218**
 Lewis's Tree, **41·421**
 Lherzolite and olivine from Mt. Gambier; by E. R. Stanley, **34·63**
 Lherzolite from Mount Gambier, **33·96**
 Lialis burtoni, **38·442**
 libera, Nepticula, **30·61***
 libertiana, Sclerotinia, **39·355**
 Library of the Royal Society of South Australia, catalogue completed, **38·486**
 Library of the Royal Society of South Australia, donations to. See Royal Society of South Australia, Library, donations to
 Libythea geoffroyi, **31·169**, **32·317**
 Lichenaula allocrossa, **26·196***; callisema, **26·196**; callispora, **28·245***; candescens, **26·196**; castanea, **26·197***; comparella, dissimilis, **26·196**; inscripta, **26·197**; ombralota, **25·84***
 lichenitis, Trychnostola, **40·502***
 lichenophora, Caradrina, **26·224***
 Lichenostomus keartlandi, **38·436**, **39·758**; stomach contents of, **38·440**
 Lichenostomus plumulus ethelae, **38·436**, **39·758**; stomach contents of, **39·765**
 lichneopa, Tortricomorpha, **27·69***
 lichnomima, Erastroides, **28·215**
 Licinoma, **38·390**; synopsis of species of, **38·391**
 Licinoma angusticollis, **38·391**, **398**; cyclocollis, gilesi, **38·392***; sylvicola, **38·391**
 Light River, description of, **36·15**; older Cainozoic rocks in, **36·14**
 ligulata, Acacia, **44·375***
 Lihir Island, distorted skull from, **43·429**
 lilacina, -us, Calvatia, **43·310**; Cantharellus, **43·271***; var. of Triphora tasmanica, **33·291***, **34·126**
 lilliputana, Aphanisticus, Germanica, **41·576**
 Lilydale sheep-station, bores on, **39·345**; foraminifera from, **39·345**
 Lima angulata, bullata, **31·314**; lima var. multicostata, multicostata, **31·313**; murrayi, **31·315**; randsi, **M2·16**; strangei, **31·314**
 lima, Radula, **31·313**
 Limaea acclinis, austrina, murrayi, **31·315**; parvula, **32·345***
 Limacina inflata, **31·107**
 Limacodidae, synopsis of genera of, **28·240**
 limans, Chiton, **36·153**; Rhysoplax, **44·290**
 Limatula bullata, **31·314**
 limbata, -us, Atriplex, var. sexifida, **38·462***; Helcioniscus, **31·100**, **36·182**, **38·365**; Mordella, **41·224**; Patella, **31·100**, **36·182**
 limbatipennis, Rhyparida, **39·124**
 Limestone, cambrian reef of, **M2·156**; from Cartwright's Creek and Torrington wangee quarries, **M2·246**
 Limestone, See Lower limestones
 Limnanthemum stygium, **42·52***
 Limnetis eremia, **41·481**
 Limnodynastes ornatus, **38·446**
 Limnoecia anisodesma, **28·174***; crossopteryx, **32·120***; eugramma, **27·230**; heterozona, **28·174***; ida, **32·119***; isodesma, **28·174***; pycnogramma, **42·239***; trissodesma, **30·53**; trixantha, **44·70***; xanthopelta, **27·231***; zonamacula, **32·120***
 Limonia, Flammula, **42·112***
 Limopsis bassi, cancellata, **31·218**; erectus, **31·220**; eucosmus, **31·219***; rubricata, **31·221**; tenisoni, **30·218**; tenisoni, var. penelevis, **31·218***; vixornata, **30·219***
 Limosina myrmecophila, **36·236***
 Linaria graeca, **36·25**
 Lincolnensis, Atilia, Columbella, **34·130**; Ischnochiton atkinsoni, **44·275***, **280**, **284**; Mitrella, Pyrene, **34·130**; Thracia, **31·229**
 lincolni, Eurytoma, **37·82***
 lindemuthianum, Colletotrichum, **39·356**
 Lindera tessellatella, **41·375**
 lindi, Laemophlaeus, **27·141**
 Lindsaea linearis, **26·35**
 Lindsay Creek, **38·415**
 linea, Modiola, **31·106**
 lineare, Stenopetalum, **39·830**
 linearis, Lindsaea, **26·35**

lineata,-um,-us, Aracana, **39**.485*; Beryx, **33**.267, **39**.461*; Cycotida, **28**.132; Deilephila, **29**.180; Dentalium, **M2**.39; Euthyphasis, **28**.82*; Gyrolasella, **37**.72*; Natica, **M2**.42; Ostracion, **39**.485*; Trachichthodes, **39**.461*; Trigonia, **M2**.28*; Tympanocryptis, **38**.443, **39**.769, **41**.470
 lineatocollis, Ditoma, **26**.314
 lineola, Pauropsalta, **38**.357*
 lineolata,-us, Chiton, **44**.272; Columbellia, **34**.131; Ischnochiton, **44**.273, 284; Mitrella, **34**.131; Pyrene, **34**.131, **35**.214
 lingam, Phoma, **43**.424
 Linguatula dingophila, **34**.248*; rhinaria, **34**.255
Lingu'a ovalis, subovalis, **M2**.8
 linguloides, Modiola, Mytilus, **M2**.18
 Linnean medal, receipt by J. H. Maiden, **39**.849, 853
 linophylla, Acacia, **41**.381
 Linosticha amphileuca, **27**.222*; autographa, **26**.152*; euadelpa, **25**.86*; myriospila, **27**.222*; themerodes, **26**.152*
 linea, Rissoina, **32**.342
Linum galicum, **35**.2; strictum, **36**.21
Liodes neurogramma, **30**.123*
Liophura georgianus, **35**.100
liosarca, Doratiphora, **26**.217*, **28**.242; Thosea, **28**.242
Liothyris wyvillei, **34**.94
Liparetrus, **29**.281, **41**.526; synonymy of species of, **29**.285; tabulation of species of, **29**.287
Liparetrus abnormalis, **41**.530; adelaiae, **29**.297; agrestis, **29**.317; albohirtus, **29**.308; albovillosus, **41**.547*; alienus, **29**.324*; alpicola, **30**.282; amabilis, **29**.321*; analis, **29**.321; angulatus, **29**.300; apicalis, **41**.536*; aridus, **29**.300; asper, **29**.306; assimilis, **29**.308; ater, **29**.297; atratus, **29**.306; atriceps, **29**.316; aureus, **30**.281; badius, **29**.315; basilis, **29**.312; basicollis, **41**.548*; bicolor, **30**.281; bimaculatus, **41**.546*; bituberculatus, **29**.307; blanchardi, breviceps, **29**.328*; brunneipennis, **29**.314; burmeisteri, **30**.282; callosus, **29**.311; canescens, **29**.308; capillatus, **29**.299, **41**.527; carus, **41**.539*; cinctipennis, **29**.327*; collaris, **29**.303; comatus, **29**.297; compositus, **41**.535*; confusus, **36**.43*; consanguineus, **29**.322*; convexior, **29**.307; convexiusculus, **29**.286; criniger, **29**.316; curtulus, **29**.286; depressus, **30**.282; discipennis, **29**.308, **41**.530; discoidalis, **29**.309; dispar, **29**.299; distans, **29**.318*; distinctus, **41**.531; fallax, **29**.315, **41**.530; ferrugineus, **29**.314, **41**.530; fimbriatus, **41**.531; flavicornis, **41**.555*; flavipectoralis, **41**.545*; flavopilosus, **29**.297; flavus, **41**.550*; fulvohirtus, **29**.297; gagaticeps, glaber, glabratulus, **29**.286; globulus, **29**.317; gracilipes, **29**.305; gravidus, **29**.326*;

hirsutus, **29**.311; hispidus, **30**.281; holosericeus, **29**.306; humilis, **30**.283; impressicollis, **41**.530; incertus, **29**.320*; insignis, **41**.532*; insolitus, **29**.330*; iridipennis, **29**.303; irregularis, **41**.552*; juvenis, **29**.301, **41**.527; kreuslerae, **29**.300, **41**.530; laciniatus, **41**.537*; laevatus, **29**.316; laevis, **29**.317; lanatocollis, **29**.309; latiusculus, **29**.306; leai, **29**.329*; lepidopygus, **41**.533*; lissapterus, **41**.544*; lividipennis, **29**.319*; longidens, **41**.546*; lottini, **29**.286; luridipennis, **29**.309; macleayi, **29**.312; marginipennis, **29**.310; mastersi, **29**.298, **41**.527; melaleucae, **41**.540*; micans, **29**.316; mimicus, **41**.554*; minor, **29**.327*; mitchelli, **29**.298; montanus, **29**.308; monticola, **29**.315; necessarius, **29**.318*, **41**.531; niger, **41**.531*; nigriceps, **29**.317; nigriclavus, **41**.555*; nigricollis, **29**.286; nigrinus, **29**.313; nigroumbratus, **29**.303, **41**.528; nitidipennis, **29**.298; nudus, **41**.541*; obscurior, **41**.538*; occidentalis, **29**.309; opacicollis, **29**.317; ordinatus, **30**.282; ovatus, **29**.301; pallens, **41**.556*; parvidens, **29**.307; parvulus, **29**.316*; perkinsi, **29**.324*; perplexus, **29**.316; phoenicopterus, **29**.297; picipennis, **29**.300; pilosus, **29**.311; posticalis, **29**.301; propinquus, **29**.314; pruinosis, **29**.302; puer, **29**.323*; puncticeps, **41**.543*; pygmaeus, **30**.282; rothei, **41**.529; rotundicollis, **29**.325*; rotundipennis, **29**.310; rubefactus, **29**.301; rubicundus, **29**.314; rufipennis, **29**.301; rugatus, **29**.329*; rugosus, **29**.314; salebrosus, **29**.312; semiatriiceps, **41**.553; semicastaneus, **41**.533*; semiflavus, **41**.549*; simillimus, **29**.305; simplex, **29**.310; squamiger, **29**.318; striatus, **29**.287; subsquamatus, **29**.301; sylvicola, **29**.311, 312; trichopygus, **41**.542*; trichosternus, **41**.534*; tridentatus, **29**.307; tuberculatus, **29**.317, **41**.528; ubiquitosus, **29**.314; unicolor, **30**.283; unidentatus, **41**.551*; uniformis, **29**.286; ventralis, **29**.326*; vicarius, **29**.320; villosicollis, **41**.527; xanthotrichus, **29**.297, **41**.530
Liparochrus, **29**.270; synopsis of species of, **29**.271
Liparachrus aberrans, **29**.271, 274; asperulus, **29**.271; bimaculatus, **29**.270; cilioides, **29**.271; crenatulus, **29**.270, 272; dilatatifrons, **29**.272*, **40**.288; fossulatus, **29**.270; geminatus, **36**.41; globuliformis, **29**.270, 272; hackeri, **36**.40*; multistriatus, **29**.270, 272; nitidicollis, **29**.273*; oblongus, **29**.271, 274; pimelioides, **29**.270, 272; politulus, **29**.271, 274; raucus, **29**.270; sculptilis, **29**.271; silphoides, **29**.270; timidus, **40**.288
Lipothryea chloris, **42**.267; variabilis, **38**.296